

## Raw Potato Chips

Raw Potato Chips are a co-product of potato\* processing at the Lamb Weston Meijer plant at Wisbech, Cambs. They comprise peeled and chipped potato that has not been cooked. The feed is delivered fresh from the factory in a bulk tipping vehicle and should be tipped into a clean silo with a drainage collection point. The load should be sheeted immediately and fed within four weeks. For longer storage periods, this feed should be ensiled and sheeted effectively to restrict the ingress of air.

Raw Potato Chips are a palatable, high energy feedstuff suitable for ruminant livestock. The feed may be fed to beef and dairy cattle at up to 20 kg per head per day, and it is common practice to add it to other feeds in a mixer wagon. N.B. Raw Potato Chips should always be fed in a daily ration that includes an adequate amount of fibrous feed such as silage or hay.

\*A small proportion of parsnip chips may be included depending on the factory production programme.

### Typical Analysis

Dry matter %	18-24
Crude Protein* %	6.5-8.5
Oil* %	0.1-0.4
Fibre* (NDF) %	4-6
Ash* %	2.5-6.5
Starch* %	45-60
Digestibility* (NCGD) %	85-95
M.E.* (MJ/kg)	11.5-13.5

\*Data presented on the dry matter basis.

All co-product feeds from Moist Feed Supplies are obtained from food factories that select and process only food quality raw materials. No claim is made that the raw materials are GM-free and the feeds should not be used by organic livestock farmers.